

MRT3 Series

- MRT3 curriculum is developing for helping students(age 6 13+), through robotics, learn essential STEM (science, technology, engineering, and math) concepts.
- Step by step and systematic building instructions for MRT3 educational robot kits.









MRT3-2. Beginner Level

CONTENTS



Part List	4
How to use the main board?	6
How to use the Remote Controller?	8
What are we going to learn?	9
O STEM 1. The muscle of Robot—Motor—	11
O Robot Making1Mini Tank	12
STEM 2. What's IR Sensor(Inferared Sensor)	18
O Robot Making2-Duckling	19
O STEM 3. Learn the principle of Light	26
O STEM 4. The Shaft wheel and Steer wheel	27
O Robot Making3-Power Spin	28
O STEM 5. Making My Own Power Spin	34
O STEM 6. The eves of Robot—IR Sensor1	35




Robot Making	14Sumo—Bot	36
○ Robot Making	5Skier Man	47
\bigcirc STEM 7. The	eyes of Robot—IR Sensor2	56
○ STEM 8. wha	t is avoider?	58
○ Robot Making	g6Huna—E	60
\bigcirc STEM 9. The	Avoider that can avoid objects	67
○ STEM 10. I lik	ke black line-Linetracer	68
○ Robot Making	g7Line Tracer Train	69
○ STEM 11. Lea	arn the Position of Sensor	80
O STEM 12. The	e energy from movement—Kinetic energy	81
○ Robot Making	g8Target Shooting Game With Gun	82
○ STEM 13. The	e transformation of energy—Roller Coaster	93
○ Robot Making	g9Car and Car key	94
O STEM 14. End	ergy can change back and forth	105




Part list


Block

* The form and color of some parts may be different when compared to actual parts due to continues improvement of production quality.





Frame / Adapter






Shaft / Bush







Gear / Wheel














Technology

How to use the electronic parts?

Mainboard assenmbley/Funcion of each feature



Power Connector

Connects to the 6V battery packs.

Mode Setting

- 1. Press mode button and the LCD will be changed as below. Please select your favorite function.
- 2.. After selecting your favorite mode, press start button and the robot will move.





Free Mov

MODE 2



Remote control control

MODE 3



Line Trace

MODE 4



Avoide

MODE 5



Stalker

MODE 6



Drop Checker

MODE 7



Touch

MODE 8



Remote Control + IR

MODE 9



Remote Control + Touch

MODE 0



Remote Control(R)

IR Sensor



"Send" light

An infrared signal is sent to the object.

If there is a reflection, the information is sent to the 'receive' light part.



"Receive" light

This receives the signal from the above part and converts that signal into the input signal.

Speaker Sensor



This sensor receives the Sound from MB and sent out.

Toch Sensor




set the ontput singnal as ON/OFF function.



How to use the remote control?

Remote Control configuration




Setting remote control ID

- ① Turn on the robot.
- ② Select # 2 mode of robot.
- 4) Press CH button while holding L button and choose your ID. (Number 1~8)
- (5) After selecting ID, if you release Button and press (H) button, ID will be selected.
- ⑥ The LED on the mainboard will blink 3 times and it will turn off automatically. That means the ID Selection is finished.
- (7) If you press button, you can see your selected ID.
- if there is a problem, repeat steps 1-7 carefully.

How to set up communication ID

 $\,\,^{\times}$ The maximum number of channels can be set as shown below without interference. Use the picture to assign the channels to the communication ID.







What robots are we going to assemble?




1. Mini Tank



2. Duckling



3. Power Spin



4. Sumo-Bot




5. Skier Man



6. Huna-E

7. Line Tracer Train




8. Target shooting game with gun



9. Car and car key




STEM 1. The muscle of Robot-Motor








Robot Making1-Mini Tank (with sound)













































































How to operate Tank?



Connect in this order.


- 1. Connect Battery Cases to Power connector.
- 2. Connect Left-DC motor to Left-motor connector.
- 3. Connect Right-DC motor to Right-motor connector.
- 4. Connect R/C receiver board to R/C connector.
- 5. Connect Speaker Sensor to IN2 connector.

Setting mode

- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.

MODE # 2 Remote control Mode


- 4. Select Remote ID.
- 5. Press the START button.





IR sensor?

- An IR sensor has a send and receive part. The time taken to receive the signal can be converted into a distance for the robot to measure An IR Sensor can also detect between light and dark surfaces.



Recognize light and shade

Measure distance



Make a pet robot that will follow you everytime.


55555	333





Robot Making2-Duckling (with sound)


































































































How to opoerate the Duck



Connect in this order.


- 1. Connect Battery Cases to Power connector.
- 2. Connect Left-DC motor to Left-motor connector.
- 3. Connect Right-DC motor to Right-motor connector.
- 4. Connect R/C receiver board to R/C connector.
- 5. Connect Right IR sensor to R connector.
- 6. Comect speaker sensor to INZ connector.

Setting mode

- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.

MODE # 5 Stalker Mode

- 4. Select Remote ID.
- 5. Press the START button.






Science

STEM 3. Learn the principle of Light


Kind of light

- **Infrared iight:** Infrared light: Infrared radiation is popularly known as "heat" or sometimes "heat radiation", since many people attribute all radiant heating to infrared light and/or to all infrared radiation to being a result of heating.
- **Visible ilght:** Humans can see the this kind of light. More specifically, you see the light that is not absorbed by objects.
- **Ultraviolet ilght:** It is believed to induce the production of Vitamin D and can also be used for sterilization and pasteurization. However, it is harmful to our eyes and skin if we are exposed to direct sunlight.







Let's make a pet robot that can follow you everywhere.







STEM 4. The Shaft Wheel and Steer Wheel









A gear is a toothed wheel that engages another toothed mechanism in order to change the speed or direction of transmitted motion.













Robot Making3-Power Spin (with sound)










































































How to operate the Power Spin?

Connecting the main board



Connect in this order.


- 1. Connect Battery Cases to Power connector.
- 2. Connect Left-DC motor to Left-motor connector.
- 3. Connect Touch senstor to C connector.
- 4. Connect the Speaker Sensor to IN2 connector.

Setting mode


- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.

MODE # 7 Touch Mode

- 4. Select Remote ID.
- 5. Press the START button.















Make your own spinner for battle with your friends!









STEM 6. The eyes of Robot-IR Sensor1








Robot Making4-Sumo-Bot























































































































































How to operate the Sumo-Bot



Connect in this order.


- 1. Connect Battery Cases to Power connector.
- 2. Connect Left-DC motor to Left-motor connector.
- 3. Connect Right-DC motor to Right-motor connector.
- 4. Connect Left IR sensor to R connector.
- 5. Connect Right IR sensor to R connector.

Setting mode

- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.

MODE # 6 Drop Checker Mode


- 4. Select Remote ID.
- 5. Press the START button.











































































































































How to operate the Skier Man



Connect in this order.

- 1. Connect Battery Cases to Power connector.
- 2. Connect Left-DC motor to Left-motor connector.
- 3. Connect Right-DC motor to Right-motor connector.
- 4. Connect Left IR sensor to R connector.
- 5. Connect Right IR sensor to R connector.
- 6. Comect speaker sensor to INZ connector.

Setting mode

- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.


MODE # 6 Drop Checker Mode

- 4. Select Remote ID.
- 5. Press the START button.







STEM 7. The eyes of Robot-IR Sensor2

























STEM 8. what is avoider?











Robot Making6-Huna-E





























































































How to operate the Huna-E



Connect in this order.


- 1. Connect Battery Cases to Power connector.
- 2. Connect Left-DC motor to Left-motor connector.
- 3. Connect Right-DC motor to Right-motor connector.
- 4. Connect Left IR sensor to R connector.
- 5. Connect Right IR sensor to R connector.

Setting mode

- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.




- 4. Select Remote ID.
- 5. Press the START button.




2. Recognize left IR sensor: Backward, then follow right side.




STEM 9. Avoider can avoid objects








Let's make another shape of Huna-E robot avoid object.








Technology


STEM 10. I Like black line -Linetracer


































































































































































How to operate the Line Tracer Train



Connect in this order.


- 1. Connect Battery Cases to Power connector.
- 2. Connect Left-DC motor to Left-motor connector.
- 3. Connect Right-DC motor to Right-motor connector.
- 4. Connect Left IR sensor to L connector.
- 5. Connect Middle IR sensor to C connector.
- 6. Connect Right IR sensor to R connector.
- 7. Connect the Speaker Sensor to IN2 connector.

Setting mode

- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.

MODE # 3 Line tracer Mode


- 4. Select Remote ID.
- 5. Press the START button.





- 1. When the train separates from the line on the left, it automatically turns right.
- 2. Straight movement..
- 3. When the train separates from the line on the right, it automatically turns left.




STEM 11. Learn about the position of sensor












Let's adjust the sensor position and find the best place for you to take those corners!

- Let's change Line Tracer to Remote Control (Mode 2).
 It might move the opposite Why?
- Think about it, and make it better.



Hint1: Reduction gears.

If you find out the reason, please try to change to Mobe 0. and operate it.

What will happen?







Science

STEM 12. The energy from movement-Kinetic energy










Kinetic energy?
Is that the energy that moving objects possess?

Right~ It's the force that the moving objects have..






Wow, energy also occurs when we are moving! So that means there is more energy while we are running than when we are walking.


OK! The faster an object moves, the higher amount of power it creates. It's the same as potential energy, where the height of the object influences the amount of energy.



Aha~. So what thing has kinetic energy?



An electronic fan converts electronic energy into kinetic energy. This kinetic energy can be seen as the wings of the fan turns.




uses kinetic and potential energy.


Wow, I am quite impressed with these little things that have so much energy. Because of this energy, the little boy got stronger.








Robot Making8-Target Shooting Game





































































































































































How to operate the Target Shooting Game

Connecting the main board



Connect in this order.


- 1. Connect Battery Cases to Power connector.
- 2. Connect DC motor to Right-motor connector.
- 3. Connect Remote Control to R/C connector.
- 4. Connect IR Sensor to C connector.

Setting mode

- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.


MODE # 9 Remote Control +Touch Mode

- 4. Select Remote ID.
- 5. Press the START button.





Science STEM 13. The transformation of energy-Roller Coaster








Robot Making9-Car and Car Key (with sound)






























































































































































How to operate the Car?



Connect in this order.

- 1. Connect Battery Cases to Power connector.
- 2. Connect Left-DC motor to Left-motor connector.
- 3. Connect Right-DC motor to Right-motor connector.
- 4. Connect IR sensor to C connector.
- 5. Connect R/C Receiver to R/C connector.
- 6. Connect Speaker Sensor to IN2 connector.

Setting mode

- 1. Ensure battery case/DC Motor Connector are connected.
- 2. Turn on the power.
- 3. Press the MODE button and select as the follow mode.

MODE # 8 Remote Control +IR Mode

- 4. Select Remote ID.
- 5. Press the START button.


How to make it move?



* Make sure your car key insert into the slot and start with sound.



Science STEM 14. Energy can change back and forth





Let's have a look at energy conversion and see what kind of energy it can be changed into.

MRT3-2

Revised edition ◆ Aug.20.2013

Publisher ◆ MRT International Limited.

Address lacktriangle 512-15, Deung chon-Dong, Gang Seo-Gu, Seoul, Korea.

Web ◆ www.myrobottime.com

Art & Compile ◆ MRT ROBOTICS

Copyrights (c) 2013 MRT International Ltd.

* Reproduction ,translation or audio-visual products of any part of this book without permission of the copyright owner is unlawful.